
Resonance STATE TALENT SEARCH EXAMINATION-2015 01-11-2015				
STSE Question Paper with Solution (PCB)				
		PART-I PHYSICS		
	1			
1.	$\frac{1}{273.16}$ th pa	art of thermodynamical temperature of triple point of water is called		
	(1) mole	(2) second		
	(3) kelvin	(4) Celsius		
Ans. Sol.	[3] By definition	Triple point of water is at 273.16 K.		
2.	Which of follo	owing is majority charge carrier particle in the N-type extrinsic semiconductor ?		
	(1) Electron	(2) Proton		
	(3) Neutron	(4) Hole		
Ans. Sol.	[1] Majority char	rge carrier in N type is electrons.		
3.	Under which	of following forces is mechanical energy not conserved ?		
	(1) Gravitatio	onal force (2) Friction force		
	(3) Restoring	force (4) Electrostatic force		
Ans. Sol.	[2] Friction force	e is a non conservative force.		
4.	Curie temper	rature of iron is		
	(1) 1394 K	(2) 631 K		
	(3) 893 K	(4) 1043 K		
Ans.	[4]			

5. Percentage error for colour coded resistor in the following figure is



(1) ±20%	(2) ±15%
(3) ± 10%	(4) ±5%

Ans. [3]

Sol. Silver band represent a tolerance of 10%.



Resonance STATE TALENT SEARCH EXAMINATION-2015 | 01-11-2015

- 6. If the ratio of two specific heats $\left(x = \frac{C_p}{C_y}\right)$ of any gas is 1.4 then that gas will be
 - (1) monatomic (2) diatomic
 - (3) triatomic (4) none of these

Ans. [2]

$$1.4=1+\frac{2}{f}$$

 $\gamma = 1 + \frac{2}{f}$

 \Rightarrow f = 5 \therefore Diatomic

7. Communication frequency band range for FM broadcast is

(1) 540 – 1600 kHz (2) 88 – 108 MHz

(3) 54 – 72 MHz (4) 840 – 935 MHz

Ans. [2]

8. A radioactive isotope has a half-life of T years. How long will it take to reduce the activity to 3.125% of its original value ?

(1) 2 T years	(2) 3 T years
(3) 4 T years	(4) 5 T years

Ans. [4]

Sol. $A = A_0 2^{-t/T}$

 $\frac{3.125}{100}A_0 = A_0 2^{-t/T}$ $\Rightarrow t = 5T$

9. Which of the following physical quantities remains conserved in the continuity equation for incompressed liquid flow ?

) Energy

(3) Moment (4) Charge

Ans. [1]

- **Sol.** Continuity equation is based on the principle of conservation of mass.
- **10.** The ground state energy of hydrogen atom is –13.6 eV. The kinetic energy of the electron in this state is

(1) -13.6 eV (2) +13.6 eV (3) -27.2 eV (4) +27.2 eV

Ans. [2]



<mark>∕∖</mark> ⊾ Sol.	SONANCE STATE TALENT SEARCH EXAMINATION-2015 01-11-20	15	
11.	If the magnification powers of two thin lenser are 4 and 2 respetively then the magnification power of the combined lens formed by these lenses is		
	(1) 2 (2) 4		
	(3) 8 (4) 12		
Ans. Sol.	[1] Possible powers are $(4+2) \& (4-2)$		
	6 is not present in options ∴ 2		
12.	Frequency of electric current of alternating current i = 100 sin ($120\pi t + \frac{f}{3}$) will be		
	(1) 50 Hz (2) 60 Hz		
	(3) 70 Hz (4) 80 Hz		
Ans. Sol.	$ f = \frac{\omega}{2\pi} = \frac{120\pi}{2\pi} = 60 \text{Hz} $		
13.	The curve between distance r from sheet and electric field E due to a uniformly charged infinite plane sheet is		
Ans.	[3]		
Sol.	$E = \frac{\sigma}{2t_0} = \text{constant}.$		
14.	Among the following which electromagnetic wave have the wavelength range of 700 nm to 00 n	m	

- ?
 - (1) Light waves (2) Microwaves
 - (3) X-Rays (4) Radio waves

Ans.

[1] By memory. Sol.



		STATE TALENT SEARCH EXAMINATION-2015 01-11-2015	
15.	A jet plane is travelling towards west at a speed of 400 m/s while the earth's magnetic field at the location has a magnitude of 5×10^{-4} T and the dip angle is 30°. The voltage difference developed between the ends of the wings of the plane having a span of 25 m long is		
	(1) 1.0 V	(2) 1.5 V	
	(3) 2.0 V	(4) 2.5 V	
Ans. Sol.	[4] e = VBℓ		
	$=400\times5\times10^{-4}\times\frac{1}{2}\times2$	5	
	= 2.5 V		
16.	Which fundamental log	gic gate is equivalent to the following iruit ?	
	a	Dom Dom Y	
	(1) NOT-gate	(2) AND-gate	
	(3) OR-gate	(4) none of these	
Ans. Sol.	[3] ((A + B)')' = A + B ∴ OR gate		
17.	The de-Broglie wavele	ength associated with an electron accelerated by 100 volt will be	
	(1) 0.123 nm	(2) 0.312 nm	
	(3) 0.231 nm	(4) 0.132 nm	
Ans.	[1]		
Sol.	$\lambda = \frac{h}{mv} = \frac{12.3}{\sqrt{V}} \text{ Å} = 1.2$	3Å	
	= 0.123 nm.		
18.	The value of gravitatio	nal acceleration at the centre of earth is	
	(1) zero	(2) 9.8 m/s ²	
	(3) 4.9 m/s ²	(4) 19.6 m/s ²	
Ans.	[1] GMx Othered		

Sol. $g = \frac{GMx}{R^3}$; x = 0 therefore g = 0



Resonance

STATE TALENT SEARCH EXAMINATION-2015 | 01-11-2015

Relation between power (P), force (F) and instantaneous velocity (v) is 19.


(1) $p = \frac{F}{v}$	(2) $F = \frac{P}{v}$
(3) $P = \frac{V}{F}$	(4) $v = \frac{F}{P}$

_

Ans. [2]

 $P = \vec{F} \cdot \vec{V} = FV$ Sol.


20. The acceleration of the object in the given graph between the point A to point B is



Ans. [4]

 $a = \frac{d^2x}{dt^2} = 0$; second derivative for straight line is 0 Sol.

21. If U_A and U_B are surface energies of the molecules A and B of the liquids respectively in given figure then relation between U_A and U_B is



(1)
$$U_A < U_B$$
 (2) $U_A = U_B$

(3) $U_A > U_B$ (4) None of these

Ans. [3]

- A is on the surface. So it has more potential energy due to surface tension Sol.
- The approximate nuclear energy released due to nuclear fission of one atom of $_{92}U^{235}$ is 22.

(1) 500 MeV	(2) 400 MeV

(3) 300 MeV (4) 200 MeV

Ans. [4]

Sol. By memory.



Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in STSE-5

23. Energy of photons depends on

- (1) frequency of photons
- (2) intensity of photons
- (3) both frequency and intensity of photons
- (4) none of these

Ans. [1]

- **Sol.** The energy of a photon is given by E = hv
- 24. The unit of electromotive force (emf) is
 - (1) newton (2) volt
 - (3) joule (4) coulomb

Ans. [2]

<u>dx</u>

 $x^{\frac{2}{3}}$ r t

dt

- **Sol.** EMF is actually a kind of potential difference.
- **25.** An object is moving in one direction with constant power under the influence of a source. At any time t, the displacement is proportional to

	(1) $t^{\frac{1}{2}}$	(2) t ²	
	(3) t	(4) $t^{\frac{3}{2}}$	
Ans. Sol.	[4] P = FV		
	$=\frac{mvdv}{ds}xV$		
	$Pds = mv^2 dv$	<i>r</i> .	
	$s = \frac{mv^3}{3P}$		
	$v r x^{\frac{1}{3}}$		
	$\frac{v r x^{\frac{1}{3}}}{\frac{dx}{dt} r x^{\frac{1}{3}}}$		

- **26.** A player can throw a ball up to a maximum horizontal distance of 80 m. The same player can throw the ball up to which maximum vertical height?
 - (1) 40 m (2) 80 m
 - (3) 120 m (4) 160 m



Ans. [1]

Resonance

Sol.
$$R_{max} = \frac{v^2}{g}$$
 [when angle of projection = 45°]
 $H_{max} = \frac{v^2}{2g}$ [when angle of projection = 90°]
 \therefore Hmax = $\frac{R_{max}}{2}$,

- 27. If the mass of 0.72 m long steel wire is 5.0×10^{-3} kg then the speed of produced transverse waves on the wire under 60 N tension in the wire is
 - (1) 63 m/s (2) 73 m/s (3) 93 m/s (4) 39 m/s

Ans. [3]

Sol.
$$v = \sqrt{\frac{T}{2}} = \sqrt{\frac{60 \times 0.72}{5 \times 10^{-3}}} \simeq 93 \text{ m/s}$$

28. If the amplitude of S.H.M. is A and potential energy and kinetic energy are equal then displacement will be

(1)
$$\pm A$$
 (2) $\pm \frac{A}{2}$
(3) $\pm \frac{A}{\sqrt{2}}$ (4) $\pm \sqrt{2}A$

Ans.

[4]

Sol.
$$\frac{1}{2}KA^2 = \frac{1}{2}m\omega^2(A^2 - x^2)$$

 $x = A\sqrt{2}$

29. The focal length of a concave mirror in air is f. If it is immersed in water $\left(n = \frac{4}{3}\right)$ then the focal length will be

(1) 3f	(2) f
(3) $\frac{3}{f}$	(4) 4f


= 4

Ans.

Sol.
$$\frac{f'}{f} = \frac{1.5 - 1}{\left[\frac{1.5 \times 3}{4} - 1\right]}$$

[4]





Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in Educating for better tomorrow Toll Free : 1800 200 2244 | 1800 258 5555 | CIN: U80302RJ2007PLC024029

STSE-8


	Resonance STATE TALENT SEARCH EXAMINATION-2015 01-11-2015				
33.	Which compound shows stereoisomerism?				
	(1) $X_2C = CY_2$	(2) $X_2C = CXY$	(3) $YXC = CXY$	(4) $YXC = CY_2$	
Ans.	[3]				
Sol.	YXC = CXY will sho	w Cis-trans isomerism.			
34.	Highest heat resista	int compound is			
	(1) Na ₂ CO ₃	(2) CaCO ₃	(3) Al ₂ (CO ₃) ₃	(4) MgCO ₃	
Ans.	[1]				
Sol.	Group 1 carbonates	except Li ₂ CO ₃ do not de	compose on heating.		
35.	In the 13 th group fro	m AI to TI, the stability of	+1 oxidation state incre	eases due to	
	(1) Irregular increas	e in size	(2) decrease in ioni	zation enthalpy	
	(3) inert pair effect		(4) decrease in ioni	c nature of compounds	
Ans.	[3]				
Sol.	Due to inert pair eff	ect, in group 13, stability o	of (+1) oxidation store ir	ncreases down the group.	
36.	In the refining of Nic	ckel, technique used is			
	(1) Zone refining		(2) Liquation refinin	g	
	(3) Vapour phase re	efining	(4) Chromatograph	у	
Ans.	[3]				
Sol.	Vapour phase refini	ng (Mond's process) is us	sed for the purification c	of Ni.	
37.	Liquid in liquid collo	id is			
	(1) Gel	(2) Emulsion	(3) sol	(4) Foam	
Ans.	[2]				
Sol.	Liquid in liquid are called emulsions.				
38.	ns ² np ⁴ configuratior	represents the group			
	(1) 4	(2) 6	(3) 16	(4) 18	
Ans.	[3]				
Sol.	ns ² np ⁴ represents t	he oxygen family hence (group 16.		



39. In the alkali metal group, the stability of peroxides and superoxides of metal ions increases					
55.	(1) due to same size (2) due to increases in ionisation enthalpy				
	(3) due to incre		(4) due to decre		
Ans.	[3]				
Sol.	Stability of per	oxides and super oxides of r	netal ions increases d	ue to increase in size.	
40		fellowing a size of classicate	former and all of all in		
40.		following pairs of elements	forms covalent nitric	le by the direct combination with	
	nitrogen?				
	(1) Li, Mg	(2) Na, Ca	(3) K, Sr	(4) Rb, Ba	
Ans.	[1]				
Sol.	Li and Mg both	n forms covalent nitride			
	6Li+3	$3N_2 \longrightarrow 2Li_3N$			
	3Ma +	$-N_2 \longrightarrow Mg_3N_2$			
	- 0	2 33 2			
41.	Covalent solid				
	(1) CO ₂	(2) SiO ₂	(3) CaF ₂	(4) SO ₂	
Ans.	[2]				
Sol.	SiO ₂ (silica) is a	a covalent solid			
42.	co	ontains odd number of valend	ce electrons.		
	(1) NO ₂	(2) N ₂ O	(3) N ₂ O ₃	(4) N ₂ O ₅	
Ans.	[1]				
Sol.	NO ₂ contains	17 valence electrons.			
43.	Nylon-6, 6 is				
	(1) Addition po	blymer	(2) Condensatio	on polymer	
	(3) Thermopla	stic polymer	(4) thermosettin	g polymer	
Ans.	[2]				
	Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005				
\wedge	Website : www.resonance.ac.in E-mail : contact@resonance.ac.in Educating for better tomorrow Website : www.resonance.ac.in E-mail : contact@resonance.ac.in Toll Free : 1800 200 2244 1800 258 5555 CIN: U80302RJ2007PLC024029 STSE-10				

	esonance STATE TALENT SEARCH EXAMINATION-2015 01-11-2015				
Sol.	Nylon–6,6 is a condensation polymer which is formed by condensation reaction of adipic acid &				
	hexamethylene diamine.				
	O II n HO–C–(CH ₂) ₄ –(O II C–OH + nH ₂ N–(CH ₂) ₆ –N	$ H_2 \longrightarrow \begin{bmatrix} O & C \\ II \\ -C - (CH_2)_4 - C \end{bmatrix}$) C–NH–(CH ₂) ₆ –NH–	
44.	Propene react with ozone	e to give addition produ	ct. This on hydrolysis in	the presence of Zn gives	
	(1) Formaldehyde		(2) Acetaldehyde		
	(3) Acetone		(4) Formaldehyde and	Acetaldehyde	
Ans.	[4]				
Sol.	$CH_3 - CH = CH_2 \xrightarrow{O_3} CH_3$	$-CH$ CH_2 $Zn + H_2O$ O Ozonide	> CH₃–CHO+CH₂=O		
45.	Which of the following ele	ements does not exhibit	positive oxidation state	?	
	(1) Br ((2) CI	(3) F	(4) I	
Ans.	[3]				
Sol.	'F' atom shows only –1 oxidation Number where as other halogen can show both negative and positive oxidation number.				
46.	Zincite ore is				
	(1) oxide ((2) chloride	(3) sulphate	(4) carbonate	
Ans.	[4]				
Sol.	Zincite is the ore of Zn fo	rmula of zincite is (ZnC	O_3) which is a carbonate	e ore.	
47.	In first row transition serie	es the metal which exhi	bits the maximum oxidat	tion state is	
	(1) Cr ((2) Co	(3) Fe	(4) Mn	
Ans.	[4]				
Sol.	In first row transition series, Mn shows maximum oxidation number.				
	— ————————®	-		Jhalawar Road, Kota (Raj.)- 324005	
\land	Resonance Educating for better tomorrow		n E-mail : contact@resonance.ac 258 5555 CIN: U80302RJ2007PLC0	SISE-11	

obtained is (1) NH ₃ (2) Cl ₂ (3) N ₂ (4) NO ₂ Ans. [3] Sol. NH ₄ Cl + NaNO ₂ → N ₂ + NaCl + 2H ₂ O 49. Ranitidine drug is (1) Tranquilizer (2) Anthibitamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Ranitidine is an antacid. (3) Antacid (4) Antibiotic Ans. [3] Sol. Ranitidine is an antacid. (2) Stephen reaction (3) Clemmensen reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction (3) Clemmensen reduction (3) γ-amino acids (1) α- amino acids obtained by the hydrolysis of proteins are (1) α- amino acids (1) α- amino acids are α -amino arboxylic acids (3) γ-amino acids File Amino acids are α -amino arboxylic acids file (1) zero order (2) first order (1) zero order (2) first order (3) second order (4) pseudo first order file COOH (1) zero order (2) first order (3) second order (4) pseudo first order file COOH (2) first order	八 8.	Resonance STATE TALENT SEARCH EXAMINATION-2015 01-11-2015 By treating an aqueous solution of ammonium chloride with sodium nitrite, gaseous product				
Ans. [3] Sol. $NH_{x}CI + NaNO_{2} \longrightarrow N_{2} + NaCI + 2H_{2}O$ 49. Rantitdine drug is (1) Tranquilizer (2) Antihistamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Rantitdine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C + H_{2} \xrightarrow{Perussion_{1}, relyons} R - C + H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $\int \frac{cOOH}{H_{2}N - \frac{1}{R}}$ 52. Radioactive decay takes place by						
Sol. NH ₄ Cl + NaNO ₂ → N ₂ + NaCl + 2H ₂ O 49. Raniticline drug is (1) Tranquilizer (2) Antihistamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Raniticline is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. R→C Cl + H ₂ Pointestry, symmetry R=C + H 51. Armino acids obtained by the hydrolysis of proteins are (1) α- armino acids (2) β-armino acids (1) α- armino acids (2) β-armino acids (3) γ-armino acids Sol. Armino acids are α-armino arboxylic acids		(1) NH ₃	(2) Cl ₂	(3) N ₂	(4) NO ₂	
49. Ranitidine drug is (1) Tranquilizer (2) Antihistamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Ranitidine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. Reference H + H₂ P1-9800, -504me → R=C+H 51. Amino acids obtained by the hydrolysis of proteins are (1) α- amino acids (2) β-amino acids (1) α- amino acids are α-amino arboxylic acids f Sol. Amino acids are α-amino arboxylic acids f f f (1) zero order (2) first order (1) zero order (2) first order (2) Torer: Δ+06.82, IPA, Near Cly Mall, Julawar Road, Kota (Raj) - 324000	Ans.	[3]				
(1) Tranquilizer (2) Antihistamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Ranitidine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2 \xrightarrow{p_1 + g_2 (2)} R + C - H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $H_2 - H_2$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2]	Sol.	$NH_4CI + NaNO_2 \longrightarrow$	N ₂ + NaCl + 2H ₂ O			
(1) Tranquilizer (2) Antihistamine (3) Antacid (4) Antibiotic Ans. [3] Sol. Ranitidine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2 \xrightarrow{p_1 + g_2 (2)} R + C - H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $H_2 - H_2$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2]						
Ans. [3] Sol. Ranitidine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2$ Pueseo, $A = A = A = A = A = A = A = A = A = A $	49.	Ranitidine drug is				
Sol. Ranitidine is an antacid. 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2 \xrightarrow{PHBSO_2, 2Nerris} R - C + H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids a obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $H_{\mu}N - H$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] TOPOTENCIMENT Convert And & 522, IPIA, Marc City Mall, Jhalawar Read, Kota (Raj.)- 524005 Website : www.resonance ac. in [E-mail : contact@resonance.ac.]		(1) Tranquilizer	(2) Antihistamine	(3) Antacid	(4) Antibiotic	
 50. In which reaction is aldehyde obtained from acyl chloride? (1) Rosenmund reduction (2) Stephen reaction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. R - C - C I + H₂ _ PerBaSO₁ + tylene → R - C - H 51. Amino acids obtained by the hydrolysis of proteins are (1) α- amino acids (2) β-amino acids (3) γ-amino acids (4) all of these Ans. [1] Sol. Amino acids are α - amino arboxylic acids a. f - f - f - f + H₂ _ PerBaSO₁ + tylene → R - f - H 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Exercise Constrained State Constrained ac in [E-mail: contact@meanance.ac.in	Ans.	[3]				
(1) Rosenmund reduction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2$ $\xrightarrow{Pd + BaSO_4 + Xyerie} R - C - H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $H_2N - H_R$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2]	Sol.	Ranitidine is an antacio	1.			
(1) Rosenmund reduction (3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R - C - C + H_2$ $\xrightarrow{Pd + BaSO_4 + Xyerie} R - C - H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $H_2N - H_R$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2]						
(3) Clemmensen reduction (4) Finkelstein reaction Ans. [1] Sol. $R \rightarrow C - C + H_2 \rightarrow Petersol_{+} \times ytere} \rightarrow R \rightarrow C \rightarrow H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $I \rightarrow I \rightarrow$	50.	In which reaction is ald	ehyde obtained from acy	l chloride?		
Ans. [1] Sol. $R = C = CI + H_2$ $\xrightarrow{Pd : BaSQ_1 + Xyten}$ $R = C = H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $f = \frac{COOH}{H_2N + \frac{C}{R}}$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac. in [E-mail : contact@resonance.ac.in		(1) Rosenmund reducti	ion	(2) Stephen reaction		
Sol. $R = C = CI + H_2$ $\xrightarrow{Pd+BaSO_4 + Xylene}$ $R = C = H$ 51. Amino acids obtained by the hydrolysis of proteins are (1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $f = \frac{COOH}{H_2N + \frac{C}{R}}$ 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Expresence of the expression of th		(3) Clemmensen reduc	tion	(4) Finkelstein reaction		
51. Amino acids obtained by the hydrolysis of proteins are (1) α- amino acids (2) β-amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids	Ans.	[1]				
51. Amino acids obtained by the hydrolysis of proteins are (1) α- amino acids (2) β-amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids	• •					
(1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $\downarrow \qquad \qquad$	501.	$R = C = CI + H_2$	→ R—C—H			
(1) α - amino acids (2) β -amino acids (3) γ -amino acids (4) all of these Ans. [1] Sol. Amino acids are α -amino arboxylic acids $\downarrow \qquad \qquad$						
Ans. [1] Sol. Amino acids are α -amino arboxylic acids	51.					
Sol. Amino acids are α -amino arboxylic acids $ \begin{array}{c} $		(1) α - amino acids	(2) β -amino acids	(3) γ -amino acids	(4) all of these	
 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in E-mail : contact@resonance.ac.in STSE-12 	Ans.	[1]				
 H₂N + H Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in E-mail : contact@resonance.ac.in	Sol.	Amino acids are α –amir	no arboxylic acids			
 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in [E-mail : contact@resonance.ac.in] STSE-12 						
 52. Radioactive decay takes place by kinetics. (1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in [E-mail : contact@resonance.ac.in] STSE-12						
(1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in E-mail : contact@resonance.ac.in STSE-12		R				
(1) zero order (2) first order (3) second order (4) pseudo first order Ans. [2] Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in E-mail : contact@resonance.ac.in STSE-12	52	Radioactive decay take	es place by kinetics			
Ans. [2] Image: Comporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Image: Comporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Image: Comporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Image: Comporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Image: Comporate Office : Www.resonance.ac.in E-mail : contact@resonance.ac.in Image: Comporate Office : Www.resonance.ac.in E-mail : contact@resonance.ac.in	•=-	-			(4) pseudo first order	
Corporate Office CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website Www.resonance.ac.in E-mail : contact@resonance.ac.in STSE-12	Ans.		(_)			
Website : www.resonance.ac.in E-mail : contact@resonance.ac.in			Corporate Office : CG Tower	r, A-46 & 52, IPIA, Near City Mall,	Jhalawar Road, Kota (Raj.)- 324005	
	八	Resonance Educating for better tomorrow	Website : www.resonance.ac.		SISE-12	



	Resonance [®] STATE TALENT SEARCH EXAMINATION-2015 01-11-2015				
Sol.	BF ₃ has incomplete octet and vacant p-orbital so it will accept lone pair. So it acts like lewis acid.				
58.	Paramagnetic behaviour is represented by				
	(1) S_8 monoclinic ((2) S ₂	(3) S_8 rhombic	(4) S ₆	
Ans.	[2]				
Sol.	According to M.O.T. it has unpaired e ⁻ in π * 2Px and π * 2Py orbitals. so it is paramagnetic.				
59.	Nucleophilic addition read	ctions are shown by			
	(1) Carboxylic acids		(2) Haloalkanes		
	(3) Carbonyl compounds		(4) Amines		
Ans.	[3]				
Sol.	Nucleophilic addition read	ction is characteristic re	action of carbonyl comp	ounds.	
60.	In which of the following i	is the number of signific	cant figures maximum?		
	(1) 0.0015 ((2) 115000	(3) 5.0045	(4) 1002	
Ans.	[3]				
		PART	-111		
		BIOLO			
61.	The writer of the book "Sy	ystema Naturae" is			
	(1) Linnaeus ((2) Darwin	(3) de Candolle	(4) Bentham and Hooker	
Ans.	[1]				
62.	The organs found in 10 th	and 11 th segments of e	arthworm are		
	(1) Hearts		(2) Pharyngeal nephrid	ia	
	(3) Testes		(4) Ovaries		
Ans.	[3]				
63.	The examples of living fossil of phylum Arthropoda is				
	(1) Laccifera ((2) Locust	(3) Prawn	(4) Limulus	
Ans.	[4]				
64.	The pair of pyrimidine typ	e nitrogen bases is			
	(1) Adenine, Guanine ((2) Guanine, Cytosine	(3) Adenine, Thymine	(4) Thymine, Uracil	
Ans.	[4]				
八	Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005 Website : www.resonance.ac.in E-mail : contact@resonance.ac.in				
	Educating for better tomorrow Toll Free : 1800 200 2244 1800 258 5555 CIN: U80302RJ2007PLC024029 STSE-14				

Toll Free : 1800 200 2244 | 1800 258 5555 | CIN: U80302RJ2007PLC024029

Ξ

65.	Photosynthetic part in opuntia is				
	(1) Root	(2) Stem	(3) Leaf	(4) Bract	
Ans.	[2]				
66.	Which hormone is kno	own as stress hormone in	plants?		
	(1) Auxin	(2) Cytokinin	(3) Ethylene	(4) Abscisic acid	
Ans.	[4]				
67.	The number of chror	nosomes in meiocyte of	Apple is 34. The num	ber of chromosomes in its	
	endosperm will be:				
	(1) 34	(2) 51	(3)68	(4) 102	
Ans.	[2]				
68.	Which hormone is res	ponsible for lactation afte	er parturition?		
	(1) Oxytocin	(2) Vasopressin	(3) Estrogen	(4) Pregesterone	
Ans.	[1]				
69.	Excretory organ of co	ckroach is			
	(1) Kidney	(2) Nephridia	(3) Malpighian tubules	(4) Gonapophysis	
Ans.	[3]				
70.	Correct pair of Sexual	ly transmitted diseases ir	humans is		
	(1) Gonorrhoea, Haen	nophilia	(2) Syphilis,Colour Blin	ndness	
	(3) AIDS,T.B (4) Hepatitis-B,Chlamydiasis		rdiasis		
Ans.	[4]				
71.	Enzyme converting inactive trypsinogen into active trypsin is				
	(1) Enterokinin	(2) Enterokinase	(3) Chymotrypsin	(4) Ptyalin	
Ans.	[2]				
72.	Crocodile heart has				
	(1) one auricle, one ventricle (2) two auricle, one ventricle				
	(3) one auricle, two ve	entricle	(4) two auricle, two ver	ntricle	
Ans.	[4]				



 Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005

 Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in

		ed to measure Blood Pre	ssure	ION-2015 01-11-2015	
	(1) Stethoscope		(2) Sphygmomanometer		
	(3) Haemocytometer		(4) Haemoglobinomete		
Ans.	[1]		()		
74.	The Organ related with heamodialysis is				
	(1) heart	(2) kidney	(3) liver	(4) brain	
Ans.	[2]	(_) ((d)(0))		(), 21411	
75.		aland which is formed off	or ovulation from gradia	n falliala	
75.	(1) corpus albicians	gland which is formed aft (2) corpus luteum	(3) adrenal gland	(4) pineal gland	
Ans.	[2]		(3) aurenai gianu	(4) pineai giand	
76.				ep "Hisardale" developed	
	(1) Inbreeding	(2) Crossbreeding	(3) Outbreeding	(4) Interspecific	
• • •	hybridisation				
Ans.	[2]				
77.	The compound which s	stains separated DNA fra	gments is		
77.	The compound which s (1) Agarose gel	stains separated DNA fra (2) Ethidium bromide	gments is (3) Ultraviolet Light	(4) Eosin	
77. Ans.				(4) Eosin	
	(1) Agarose gel	(2) Ethidium bromide		(4) Eosin	
Ans.	(1) Agarose gel [2]	(2) Ethidium bromide		(4) Eosin (4) Wheat, Coriander	
Ans.	(1) Agarose gel[2]The correct pair of C₄ p	(2) Ethidium bromide	(3) Ultraviolet Light		
Ans. 78.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] 	(2) Ethidium bromide	(3) Ultraviolet Light (3) Maize, Sorghum		
Ans. 78. Ans.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] 	(2) Ethidium bromideblants is(2) Apple, Orange	(3) Ultraviolet Light (3) Maize, Sorghum		
Ans. 78. Ans.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] The linking of antibiotic 	(2) Ethidium bromideblants is(2) Apple, Orange	(3) Ultraviolet Light(3) Maize, Sorghumctor is done by		
Ans. 78. Ans.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] The linking of antibiotic (1) DNA ligase 	(2) Ethidium bromideblants is(2) Apple, Orange	 (3) Ultraviolet Light (3) Maize, Sorghum ctor is done by (2) DNA polymerase 		
Ans. 78. Ans. 79.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] The linking of antibiotic (1) DNA ligase (3) Exonuclease [1] 	(2) Ethidium bromideblants is(2) Apple, Orange	 (3) Ultraviolet Light (3) Maize, Sorghum ctor is done by (2) DNA polymerase (4) Endonulease 	(4) Wheat, Coriander	
Ans. 78. Ans. 79. Ans.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] The linking of antibiotic (1) DNA ligase (3) Exonuclease [1] 	(2) Ethidium bromide plants is (2) Apple, Orange	 (3) Ultraviolet Light (3) Maize, Sorghum ctor is done by (2) DNA polymerase (4) Endonulease 	(4) Wheat, Coriander	
Ans. 78. Ans. 79. Ans.	 (1) Agarose gel [2] The correct pair of C₄ p (1) Castor, Bajra [3] The linking of antibiotic (1) DNA ligase (3) Exonuclease [1] Which of the following 	(2) Ethidium bromide plants is (2) Apple, Orange	 (3) Ultraviolet Light (3) Maize, Sorghum (3) Maize, Sorghum (2) DNA polymerase (4) Endonulease ing human protein α -1 a 	(4) Wheat, Coriander	



_

		STATE TALEN	IT SEARCH EXAMINA	TION-2015 01-11-2015
81.	The component element of ring structure of chlorophyll is			
	(1) Sodium		(2) Potassium	
	(3) Calcium		(4) Magnesium	
Ans.	[4]			
82.	Resistant variety of Brassica against white rust disease is			
	(1) Pusa Shubhr	a	(2) Pusa Swarnim	
	(3) Pusa Komal		(4) Pusa Sadabahar	
Ans.	[2]			
83.	The correct floral formula of Brassicaseae family is			
	(1)⊕⊄ ⁷ K ₂₊₂ C _{X4} A ₂	$_{2+4} \operatorname{G}(\overline{2})$		
	(2)⊕♂ ⁷ K ₂₊₂ C _{X4} A			
	(3)⊕⊄ ⁷ K ₂₊₂ C _{X4} A			
	(4)⊕⊄K ₂₊₂ C _{X4} A	A ₄₊₂ G(<u>2)</u>		
Ans.	[2]			
84.	The process of producing seeds without fertilization is known as			
	(1) sexual reproc	duction	(2) parthenocarpy	
	(3) apomixis		(4) polyembryony	
Ans.	[3]			
85.	Which of the follo	owing can be used as indus	trial pollution indicator?	
	(1) Algae	(2) Fungi	(3) Lichen	(4) Bacteria
Ans.	[3]			
86.	The group of microbes which serves an important role as biofertilizer in paddy fields is			
	(1) Anabaena, A	zotobacter	(2) Rhizobium, Azolla	I
	(3) Azotobacter,	Azospirillum	(4) Nostoc, Oscillator	ia
Ans.	[1]			
87.	Growing of orchi	d as an epiphyte on a mang	o branch falls under which	n type of interaction ?
	(1) Predation	(2) Amensalism	(3) commensalism	(4) Mutualism
Ans.	[3]			



Resonance STATE TALENT SEARCH EXAMINATION-2015 | 01-11-2015

88. The equal genotypic and phenotypic ratio of inheritance of snapdragon flower in F₂ generation shows (1) dominance (2) incomplete dominance (3) co-dominance (4) independent assortment Ans. [2] 89. Respiratory quotient (R.Q.) of respiratory substrate in the following equation will be $C_6H_{12}O_6 \longrightarrow 2C_2H_5OH + 2O_2 + Energy$ (1) 0 (2) 1 (3) 2 (4) ∞ Ans. [4] 90. Coralloid root of cycas exhibits association with (3) Bacteria (4) Cyanobacteria (1) Algae (2) Fungi Ans. [4]



Corporate Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)- 324005

 Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in

 Toll Free : 1800 200 2244 | 1800 258 5555 | CIN: U80302RJ2007PLC024029

