

**NATIONAL TALENT SEARCH EXAMINATION-2018-19, MAHARASHTRA**

**SCHOLASTIC APTITUDE TEST (SAT) HINTS & SOLUTIONS**

4.

Sol: (2)

$$T = \frac{2\pi(R+h)}{V} = \frac{2 \times 3.140 \times (3600 + 6400)}{3.14}$$

$$= 20,000 \text{ sec}$$

5.

Sol: (3)

$$\frac{dA}{dt} = \text{constant} = \frac{1}{2} r^2 \omega$$

$$\frac{r_1}{r_2} = \sqrt{\frac{\omega_2}{\omega_1}} = \sqrt{\frac{10^\circ/t}{160^\circ/t}} = \frac{1}{4}$$

$$\therefore r_2 - 4r_1 = 4 \times 140 \times 10^6 = 560 \times 10^6$$

$$= 56 \times 10^7 \text{ km}$$

7.

Sol: (1)

$$H = M \cdot S \cdot \theta = 5000 \times 1 \times (100 - 20) \text{ Calories}$$


$$= 5000 \times 80 \times 4.18 \text{ J}$$

$$= 167200 \text{ J}$$

$$= 1672 \text{ kJ}$$

8.

Sol: (2)



$$\frac{\sin i}{\sin r} = \frac{\mu_2}{\mu_1}$$

$$\frac{\sin 45^\circ}{\sin r} = \frac{1}{3/2} = \frac{2}{3}$$

$$\therefore \sin r = \frac{3}{2\sqrt{2}}$$

9.

Sol: (2)

$$(40 \times 10^{18}) \times 2 \times 1.6 \times 10^{-19} + n(-1.6 \times 10^{-19}) = 8$$

$$12.8 - 8 = n \times 1.6 \times 10^{-19}$$

$$4.8 = n \times 1.6 \times 10^{-19}$$

$$\therefore n = \frac{4.8}{1.6 \times 10^{-19}} = 3 \times 10^{19}$$

11.

**Sol: (3)**

$$\frac{3f}{2} - \frac{f}{2} = 30 \text{ cm}$$

$$\therefore F = 30 \text{ cm}$$

**12**

**Sol: (3)**

$$n_1 = 5 = \frac{360^\circ}{\theta_1} - 1$$

$$\Rightarrow 6 = \frac{360^\circ}{\theta_1}$$

$$\therefore \theta_1 = 60^\circ$$

$$\theta_2 = \theta_1 - 30^\circ$$

$$= 60^\circ - 30^\circ$$

$$= 30^\circ$$

$$n_2 = \frac{360^\circ}{\theta_2} - 1$$

$$= 12 - 1$$

$$= 11$$

**81.**

**Sol: (4)**

For  $x = 2$ ;  $y = 3$

$$x - 4y - 14 = 0$$

$$5x - y - 13 = 0$$

$$\text{i.e. } (2) - 4(-3) - 14$$

$$\text{i.e. } 5(2) - 3(-3) - 13$$

$$= 2 + 12 - 14$$

$$= 10 + 3 - 13$$

$$= 14 - 14$$

$$= 13 - 13$$

$$= 0$$

$$= 0$$

**82.**

**Sol: (3)**

$$\alpha + \beta = -3, \quad \alpha\beta = \frac{-5}{2}$$

Quadratic equation

$$\Rightarrow (x^2 - (\alpha + \beta)x + \alpha\beta) = 0$$

$$\Rightarrow \left(x^2 + 3x - \frac{5}{2}\right) = 0$$

$$2x^2 + 6x - 5 = 0$$

**83.**

**Sol: (3)**

$$\frac{1}{7}$$

**84.**

**Sol: (2)**

$$17, 23, \dots, 497$$

$$a_1 = 17$$

$$d = 23 - 17 = 6$$

$$a_n = 497$$

$$17 + (n-1) \cdot 6 = 497$$

$$(n-1) = \frac{480}{6}$$

$$n-1 = 80$$

$$n = 81$$

85.

Sol:

(2)

$$\left| \begin{array}{cc} 5 & 7 \\ 3 & 2 \\ 3 & 3 \\ 4 & 2 \end{array} \right|$$

$$= \frac{5}{3} \times \frac{3}{2} - \frac{7}{2} \left( \frac{3}{4} \right)$$

$$= \frac{15}{6} - \frac{21}{8}$$

$$= \frac{-6}{48} = \frac{-1}{8}$$

86.

Sol:

(2)

$$3ax^2 + 2bx + c = 0$$

$$\alpha + \beta = \frac{-2b}{3a}$$

$$\alpha\beta = \frac{c}{3a}$$

$$\alpha = 2k$$

$$\beta = 3k$$

$$2k + 3k = \frac{-2b}{3a}$$

$$5k = \frac{-2b}{3a}$$

$$k = \frac{-2b}{15a}$$

$$6k^2 = \frac{c}{3a}$$

$$k^2 = \frac{c}{18a}$$

$$25ac = 8b^2$$

87.

Sol:

(2)

$$\overbrace{a_1 \ a_2 \ \dots \ a_{\frac{n-1}{2}} \ a_r}$$

Middle term  $(n \in \text{odd})$

$$= \left(\frac{n+1}{2}\right)^{\text{th}} = \frac{a_n + 1}{2} = m$$

$$a_1 + a_n = 2 \frac{a_n + 1}{2} = 2m$$

$$s_n = \frac{n}{2} [a_1 + a_n] = \frac{n}{2} [2m] = mn$$

88.

Sol:

(3)

$$N = 70$$

$$h = 10$$

$$cf = 22$$

$$f = 10$$

$$L = 30$$

$$\begin{aligned} \text{Median} &= L + \left( \frac{\frac{N}{2} - cf}{f} \right) \times h \\ &= 30 + \left( \frac{35 - 22}{10} \right) \times 10 \\ &= 30 + 13 \\ &= 43 \end{aligned}$$

89.

Sol.

(2)

$$(1, 1) (1, 2) (1, 4) (1, 6)$$

$$(2, 1) (2, 3) (2, 5)$$

$$(3, 2) (3, 4)$$

$$(4, 1) (4, 3)$$

$$(5, 2) (5, 6)$$

$$(6, 1) (6, 5)$$

90.

Sol.

(1)

$$(8 + 3) \times 8 - 5 = 83$$

$$16(8 - 3) + 3 = 83$$

91.

Sol:

(3)

BD = AD=DC by theorem

$$\text{So } \angle DBE = 20^\circ$$

$$\angle CDE = 70^\circ$$

$$\text{So } \angle CDE - \angle DBE = 50^\circ$$

92.

Sol.

(1)

$$\sin 30^\circ = \frac{BC}{12\sqrt{2}} = BC = 6\sqrt{2}$$

$$\cos 30^\circ = \frac{AB}{12\sqrt{2}} = AB = 6\sqrt{6}$$

$$AB + BC + AC = 18\sqrt{2} + 6\sqrt{6}$$

93.

Sol.

(3)

Statement A is correct but B is false.

94.

Sol. (4)  
all the given statements are wrong.

95.

Sol. (1)  
 $\angle EDB = 20^\circ$  (Alternate interior angles)  
 $\angle DCB = 50^\circ \longrightarrow$  by angle sum property

96.

Sol. (4)  
In  $\Delta PQR$


$$\sin 30^\circ = \frac{QR}{\sqrt{13}} \Rightarrow QR = \frac{\sqrt{13}}{2}$$

$$\cos 30^\circ = \frac{PR}{\sqrt{13}} \Rightarrow \frac{\sqrt{39}}{2} = PR$$

$$\operatorname{Cosec} 60^\circ = \frac{2}{\sqrt{3}} \text{ and } \sec 60^\circ = 2$$

97.


Sol. (1)



98.

Sol. (4)  
It is a square

99.  
Sol. (4)



100.  
Sol.

(3)  
 PQRS is a square  
 $Qs = 2r$   
 Side of square is  $r\sqrt{2}$   
 So  
 Area of shaded position  
 $\pi r^2 - 2r^2 = \frac{72}{7}$   
 $\Rightarrow \frac{22}{7}r^2 - 2r^2 = \frac{72}{7}$   
 $\Rightarrow \frac{8r^2}{7} = \frac{72}{7}$   
 $r^2 = 9$   
 $r = 3$